

L Number	Hits	Search Text	DB	Time stamp
6	2	5848298.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 17:14
-	168	waking or wake\$2)near5((input adj device)or keypad or keyboard	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 10:13
-	23351	waking or wake\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 18:02
-	77885	personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:20
-	810941	personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet) or(pcmcia or card or module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 10:13
-	730	(waking or wake\$2) with ((personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet) or(pcmcia or card or module))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 15:20
-	402	((waking or wake\$2) with ((personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet) or(pcmcia or card or module))) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 18:05
-	4868	(detachabl\$2 or removabl\$2 or insert\$4)same (personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 18:02
-	900017	waking or wake\$2 or power\$3 or shut\$4 or sleep or activat\$3 or inactiv\$4 or enabl\$3 or disabl\$3)near7(input or key\$5 or device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 19:39
-	249	((detachabl\$2 or removabl\$2 or insert\$4)same (personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet)) same (waking or wake\$2 or power\$3 or shut\$4 or sleep or activat\$3 or inactiv\$4 or enabl\$3 or disabl\$3)near7(input or key\$5 or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 18:05
-	77	((detachabl\$2 or removabl\$2 or insert\$4)same (personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet)) same (waking or wake\$2 or power\$3 or shut\$4 or sleep or activat\$3 or inactiv\$4 or enabl\$3 or disabl\$3)near7(input or key\$5 or device)) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 18:48
-	87517	((power\$3 or shut\$4 or turn\$3)adj4(off or down))near7(input or key\$5 or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 18:48

-	249	(personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet) same (((power\$3 or shut\$4 or turn\$3)adj4(off or down))near7(input or key\$5 or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 18:48
-	85	((personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet) same (((power\$3 or shut\$4 or turn\$3)adj4(off or down))near7(input or key\$5 or device))) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 19:42
-	635980	power near7(reduc\$3 or sav\$3 or low\$5 or converv\$5 or consum\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 19:38
-	207983	waking or wake\$2 or activat\$3 or inactiv\$4 or shut\$4)near5(input or key\$5 or device or peripheral or component	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 19:41
-	32045	(power near7(reduc\$3 or sav\$3 or low\$5 or converv\$5 or consum\$5)) and (waking or wake\$2 or activat\$3 or inactiv\$4 or shut\$4)near5(input or key\$5 or device or peripheral or component)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:20
-	2075	(personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet) and ((power near7(reduc\$3 or sav\$3 or low\$5 or converv\$5 or consum\$5)) and (waking or wake\$2 or activat\$3 or inactiv\$4 or shut\$4)near5(input or key\$5 or device or peripheral or component))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 19:41
-	75	((personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet) and ((power near7(reduc\$3 or sav\$3 or low\$5 or converv\$5 or consum\$5)) and (waking or wake\$2 or activat\$3 or inactiv\$4 or shut\$4)near5(input or key\$5 or device or peripheral or component))) and 713/3\$2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/23 19:41
-	30	((personal adj2 device)or(personal adj digital)or(organizer or pid or pda or wallet) and ((power near7(reduc\$3 or sav\$3 or low\$5 or converv\$5 or consum\$5)) and (waking or wake\$2 or activat\$3 or inactiv\$4 or shut\$4)near5(input or key\$5 or device or peripheral or component))) and 713/3\$2.ccls.) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 10:18
-	306833	((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:02
-	121	((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) with wake\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 10:18
-	50	((((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) with wake\$2) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:21
-	223434	wak\$3 or activat\$3 or power\$3 or turn\$3)near4((input adj device)or component or peripheral or button or key\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:34

-	635980	(power near7(reduc\$3 or sav\$3 or low\$5 or converv\$5 or consum\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:21
-	1260	((((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) same (wak\$3 or activat\$3 or power\$3 or turn\$3)near4((input adj device)or component or peripheral or button or key\$5))and ((power near7(reduc\$3 or sav\$3 or low\$5 or converv\$5 or consum\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:21
-	415	((((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) same (wak\$3 or activat\$3 or power\$3 or turn\$3)near4((input adj device)or component or peripheral or button or key\$5))same ((power near7(reduc\$3 or sav\$3 or low\$5 or converv\$5 or consum\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 11:21
-	201	(((((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) same (wak\$3 or activat\$3 or power\$3 or turn\$3)near4((input adj device)or component or peripheral or button or key\$5))same ((power near7(reduc\$3 or sav\$3 or low\$5 or converv\$5 or consum\$5))) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:09
-	800	(plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3)with wak\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:36
-	69	((((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) and ((plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3)with wak\$3) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:38
-	71409	wak\$3 or activat\$3 or power\$3 or turn\$3)near6((input adj device)or key\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:00
-	1527	((((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) same (wak\$3 or activat\$3 or power\$3 or turn\$3)near6((input adj device)or key\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:36
-	971844	plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3 or remov\$4)near7(card or module or device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:37

-	122	((((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) same (wak\$3 or activat\$3 or power\$3 or turn\$3)near6((input adj device)or key\$5)) same (plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3 or remov\$4)near7(card or module or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 13:37
-	85	((((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) same (wak\$3 or activat\$3 or power\$3 or turn\$3)near6((input adj device)or key\$5)) same (plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3 or remov\$4)near7(card or module or device)) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 18:35
-	1520	(power near5 turn\$3)with (plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3 or remov\$4)near7(card or module or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 16:31
-	50	((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) same ((power near5 turn\$3)with (plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3 or remov\$4)near7(card or module or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 16:31
-	16	((((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) same ((power near5 turn\$3)with (plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3 or remov\$4)near7(card or module or device))) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:03
-	705	((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) with (wak\$3 or activat\$3 or power\$3 or turn\$3)near6((input adj device)or key\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 18:34
-	187	(plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3 or remov\$4)near7(card or module or device) and (((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3 or handheld or(hand adj held))) with (wak\$3 or activat\$3 or power\$3 or turn\$3)near6((input adj device)or key\$5)) and(@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:00
-	5992	wak\$3 or awak\$3) same(power\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:02
-	224554	((personal or portable)adj2(information or digital or device))or(organizer or pid or pda or wallet or palm\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:02

-	96	(wak\$3 or awak\$3) same (power\$3) same (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:37
-	35	((wak\$3 or awak\$3) same (power\$3) same (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))) and (@ad<19981111 or @prad<19981111 or @rlad<19981111)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:38
-	1211	(wak\$3 or awak\$3) same (power\$3) and (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:37
-	136	((wak\$3 or awak\$3) same (power\$3) and (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))) and 713/3\$3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:38
-	71	((((wak\$3 or awak\$3) same (power\$3) and (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))) and 713/3\$3.ccls.) and (@ad<19981111 or @prad<19981111 or @rlad<19981111)) not (((wak\$3 or awak\$3) same (power\$3) same (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))) and (@ad<19981111 or @prad<19981111 or @rlad<19981111))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:49
-	10455	(plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3 or remov\$4) near7 (card or module or device) same (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/24 19:48
-	54	((((wak\$3 or awak\$3) same (power\$3) and (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))) and ((plug\$4 or insert\$4 or mount\$3 or detach\$4 or retain\$3 or remov\$4) near7 (card or module or device) same (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))) and (@ad<19981111 or @prad<19981111 or @rlad<19981111)) not ((((wak\$3 or awak\$3) same (power\$3) and (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))) and 713/3\$3.ccls.) and (@ad<19981111 or @prad<19981111 or @rlad<19981111)) not (((wak\$3 or awak\$3) same (power\$3) same (((personal or portable) adj2 (information or digital or device)) or (organizer or pid or pda or wallet or palm\$3))) and (@ad<19981111 or @prad<19981111 or @rlad<19981111))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 17:14
-	3	6223233.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 13:22